

Strength

Simply better.

Distributed by:

High performance, all-steel bar clamps for industrial application

Made in Germany, delivering uncompromising quality, patented features, durability and real-world productivity.

1 Patented rail profile

For greater stability, enhanced clamping force and 20% more clamping force per spindle turn for quicker set-up times (2400S series).

2 BESSEY MorPad

Reduces friction at the point of contact, increasing and optimizing clamping force. BESSEY® product with the MorPad extends tool life and, at full clamping potential.

3 Hardened spindle

Heat-treated, high carbon Acme threaded spindle manufactured for high load capacity, durability and spatter resistance.

4 Size engineered T-Bar

Ergonomic, high-strength sliding pin T-Bar. BESSEY Grip standard with 2400S.

5 Drop forged sliding arm

U-shaped sliding arm transfers clamping force evenly across the surface of the forged piece improving power transmission and stability for a longer lasting tool.



Regular duty, 2400S series

- Best Seller
- Includes BESSEY grip handle, patented rail profile, force optimized drop forged arm and BESSEY MorPad.

	Clamping Capacity	Throat Depth	Clamping Force	Price
2400S-8	8"	5 1/2"	2800 lbs	\$116.11
2400S-12	12"	5 1/2"	2800 lbs	\$134.69
2400S-16	16"	5 1/2"	2800 lbs	\$150.18
2400S-20	20"	5 1/2"	2800 lbs	\$169.43
2400S-24	24"	5 1/2"	2800 lbs	\$190.33

FROM
116¹¹

Heavy duty 4800S series

- Nearly twice the clamp force capacity as the 2400 series.
- Spindle with 19 mm hex head assists in tightening (torque of 70 Nm or less).
- Includes standard rail profile, MorPad.

	Clamping Capacity	Throat Depth	Clamping Force	Price
4800S-12	12"	7"	4880 lbs	\$249.43
4800S-18	18"	7"	4880 lbs	\$278.84
4800S-24	24"	7"	4880 lbs	\$305.70

FROM
249⁴³

Extra heavy duty 7200S series

- Robust for extra heavy industrial applications.
- Spindle with 36 mm hex head assists in tightening (torque of 100 Nm or less).
- Includes standard rail profile, specially designed MorPad.

	Clamping Capacity	Throat Depth	Clamping Force	Price
7200S-12	12"	8"	7770 lbs	\$594.78
7200S-18	18"	8"	7770 lbs	\$633.17
7200S-36	36"	8"	7770 lbs	\$729.12

FROM
594⁷⁸

classiX® GSH all-steel lever bar clamps

- Quick – up to 5 times faster than regular bar clamps!
- Secure, unaffected by vibrations.
- Strong – high clamping force.
- Non-slip trigger release.
- Classic profiled rail.

	Clamping Capacity	Throat Depth	Clamping Force	Price
GSH12	4"	2 3/4"	400 lbs	\$51.39
GSH20	8"	4"	600 lbs	\$59.78
GSH30	12"	5 1/2"	1110 lbs	\$81.82
GSH50	20"	4 3/4"	1110 lbs	\$90.19



FROM
51³⁹



Newsletter & Offers...

Sign up for news & exclusive offers from BESSEY by emailing your request to info@besseytools.com

Join us on...

- facebook.com/BesseyToolsNorthAmerica
- instagram.com/besseytools_na/
- twitter.com/BesseyTools
- youtube.com/user/BesseyTools
- besseytools.com




Induction bearing heater, PV2412

Portable for workshop and on site!

Magnetic induction is a safe and efficient method of generating heat to expand bearings for installation. No open flame or hot oil to worry about. Magnetic induction heats bearings evenly and quicker than hot plates.

- Digital time/temperature display and magnetic probe.
- Extend the useful life of your bearings. Reducing the frequency of bearing maintenance means lower operating costs.
- Fast heating works on bearings, sprockets, gears, couplings, sleeves.




2789⁶⁷

*Bearings not included

Portable digital temperature control, certified

Includes cross bars standard: 1/4", 3/8", 9/16", 13/16", 1 1/8". Approx. weight: 47 lbs. 120V (15 amp).

	Max. weight ± lb bearings	Min. ID Ø	Max. OD Ø	Max. width B	Max. horizontal heating width C	Cross section poles D	Pole height	Temperature control max reach	Time control max reach
PV2412	44 lbs	3/8"	9 1/2"	4 3/4"	—	1 1/8"	5"	302°F	0-30 min.



Cone style bearing heaters

- Extend bearing life and cut operating cost by eliminating hammering and pounding to cold-mount bearings.
- Lightweight and portable, plus, no special wiring or set up
- Start and stop with a switch
- One cone bearing heater fulfills a range of bearing sizes
- Temperature preset on -CB versions, 250° F



CB version



FROM
546⁷³

	Bearing I.D. Range	Voltage	Width	Height	Price
GCS-NCB	3/8" - 8 1/4"	120V (15 amp)	8 5/8"	9 1/2"	\$546.73
GCS-CB*	3/8" - 8 1/4"	120V (15 amp)	8 5/8"	9 1/2"	\$756.96

*Comes with control box with probe attached

Bearings not included

SuperGrips™ with profiled rail, SG

A grip plier and clamp all in one tool, just a quick adjustment for a fast and easy set-up.

- Adjustable top handle screw/lock nut adjusts clamping force.
- Adjustable bottom handle screw/lock nut adjusts jaw angle (up to 7°) for clamping tapered parts.
- Adjustable sliding arm for more precise clamping.
- Cold drawn, profiled, sturdy steel rail.

59⁹⁹

	Clamping Capacity	Throat Depth	Clamping Force
SG8	8"	2 1/2"	440 lbs



Multi-use compact aviation snip, D15A

15⁰⁵

- Compact design for high performance with minimum effort.
- Smaller than the typical aviation snip – ideal for working in small spaces with all the power you need.
- For long continuous, straight and curved cuts.



	Overall Length	Blade Length	Cutting Capacity (carbon steel)	Price
D15A-BE	7 3/16"	13/16"	18 gauge	\$15.05
D15AL-BE	7 3/16"	13/16"	18 gauge	\$15.05
D15S-BE	7 3/16"	13/16"	18 gauge	\$15.05

UniKlamp® case clamp

- This light duty universal case clamp is an ideal tool for many jobs around the shop.
- For clamping or spreading, the lower clamping pressures spread over a wider surface are gentle on delicate work surfaces and, the light weight means less fatigue during glue-ups.
- Removable end clip for conversion to a spreader.

	Clamping Capacity	Throat Depth	Clamping Force	Price
UK3.006	6"	3 1/8"	330 lbs	\$19.34
UK3.012	12"	3 1/8"	330 lbs	\$20.80
UK3.024	24"	3 1/8"	330 lbs	\$22.24

FROM
19³⁴



KliKlamp® light duty lever clamp

- Light as a feather – tough as nails; perfect for your workshop.
- Sturdy fixed and sliding arms made from lightweight magnesium.
- Fixed arm with v-grooves holds round, pointed & angular components firmly in place
- Quick, and vibration resistant, clamping.

	Clamping Capacity	Throat Depth	Clamping Force	Price
KL13.004	4"	3"	260 lbs	\$22.73
KL13.008	8"	3"	260 lbs	\$23.21
KL13.012	12"	3"	260 lbs	\$24.96
KL13.016	16"	3"	260 lbs	\$26.12



FROM
22⁷³

Edge clamps — install edging in a snap



One hand edge clamp, EKT

- Unique twin spindle.
- Two large non-slip, opposing, gentle jaws.
- Large swivel pressure plate sets the edge as the handle is tightened and the jaws engage.
- Removable protective cap.
- Lightweight, corrosion-resistant aluminum housing designed for high static stress load.

	Clamping Capacity	Throat Depth	Clamping Force
EKT-55	2 1/4"	3"	500 lbs

FROM
60⁸⁹



One hand edge clamp, KF2-4

- Non-slip rubber lining for a sure grip.

	Clamping Capacity	Throat Depth	Price
KF2	3/8" - 1 1/8"	3"	\$57.56
KF4	3/8" - 3 1/8"	4 1/4"	\$115.10

FROM
57⁵⁶




Spindle clamps, KT5

- Use with a bar clamp with rails up to a 1/2" thick.
- Now you can do glue-ups and apply the edge banding at the same time.

FROM
13⁷²

	Description	Price
KT5-1CP	1 spindle	\$13.72
KT5-2	2 spindles	\$18.56





Strength

Simply better.

Distributed by:

Woodworking cast bar clamps

The original BESSEY® bar clamp with modern BESSEY 2K handle with comfort insert allows you to complete tasks more effectively with less hand fatigue. Can also be converted to use as a spreader.

1 Integrated anti-slip system

Maximum safety with the integrated anti-slip system. A set screw is molded into the sliding arm and interlocks with the serration on the rail.

2 Reinforced jaw and sliding arm

Corrugated malleable cast iron fixed jaw and sliding arm generate powerful, rigid clamping.

3 High quality profiled rail


The BESSEY profiled rail from our own German steel mill has been optimized for clamps. The profile acts against torsional forces.

4 BESSEY smooth running spindle

Smooth running spindle with Acme thread allows for more clamping with less effort. Replaceable pressure plates.

5 BESSEY comfort handle

2K composite handle with comfort insert.



Light duty TG & TGJ,

- Hourglass rail profile helps resist flex.
- A tough tool built with BESSEY quality.

FROM
16¹⁵

	Clamping Capacity	Throat Depth	Clamping Force	Price
TGJ2.506+2K	6"	2 1/2"	600 lbs	\$16.15
TGJ2.512+2k	12"	2 1/2"	600 lbs	\$17.37
TGJ2.524+2k	24"	2 1/2"	600 lbs	\$21.02
TG4.008+2k	8"	4"	880 lbs	\$24.23
TG4.012+2k	12"	4"	880 lbs	\$29.37
TG4.024+2k	24"	4"	880 lbs	\$39.77



Medium duty, TG

- Load up on pressure, durability & versatility.
- 6 serrated edges withstand a lot of pressure without slipping.

FROM
38³⁷

	Clamping Capacity	Throat Depth	Clamping Force	Price
TG5.512+2k	12"	5 1/2"	1320 lbs	\$38.37
TG5.524+2k	24"	5 1/2"	1320 lbs	\$50.09
TG7.016+2k	16"	7"	1320 lbs	\$46.22
TG7.024+2k	24"	7"	1320 lbs	\$54.21
TG7.048+2k	48"	7"	1320 lbs	\$74.32



Heavy duty, TGK

- More clamp force than most will ever need.
- High-end quality throughout.

FROM
61¹⁸

	Clamping Capacity	Throat Depth	Clamping Force	Price
TGK4.540+2K	40"	4 1/2"	1540 lbs	\$61.18
TGK4.550+2K	50"	4 1/2"	1540 lbs	\$68.67
TGK4.579+2K	79"	4 1/2"	1540 lbs	\$92.15

One-handed EZ clamps

- A lightweight one-hand clamp.
- 150 lbs of clamping force.
- Transitions smoothly from clamping to spreading.
- All the dependability you've come to expect from BESSEY.



FROM
12⁸³

	Clamping Capacity	Throat Depth	Clamping Force	Spreading	Price
EZ15-6	6"	2 3/8"	150 lbs	5" - 12"	\$12.83
EZ30-6	12"	2 3/8"	150 lbs	5" - 18"	\$15.00



Newsletter & Offers...

Sign up for news & exclusive offers from BESSEY by emailing your request to info@besseytools.com

Join us on...

- facebook.com/BesseyToolsNorthAmerica
- instagram.com/besseytools_na/
- twitter.com/BesseyTools
- youtube.com/user/BesseyTools
- besseytools.com

